

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/772,893	02/04/2004	Pravin K. Narwankar	008209 USA/FEP/GCM/PJS	5371	
48401 7590 10/15/2009 APPLIED MATERIALS/BSTZ BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP			EXAM	EXAMINER	
			GAMBETTA, KELLY M		
	279 OAKMEAD PARKWAY UNNYVALE, CA 94085-4040		ART UNIT	PAPER NUMBER	
			1792		
			MAIL DATE	DELIVERY MODE	
			10/15/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability

Application No.	Applicant(s)			
10/772,893	NARWANKAR ET AL.			
Examiner	Art Unit			
ZELLY GAMPETTA	1702			

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS

NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. of the Office or upon petition by the applicant. See 37 CFR 1.313 and M	
 This communication is responsive to the amendment after non-fin 	al of 8 June 2009.
2. X The allowed claim(s) is/are 1.3.4.6-8.10-12.14.15.17.18.20-22.24.	26,27 and 29-32.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been r 2. ☐ Certified copies of the priority documents have been r 3. ☐ Copies of the certified copies of the priority document International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	eceived. eceived in Application No s have been received in this national stage application from the
A SUBSTITUTE OATH OR DECLARATION must be submitted. N INFORMAL PATENT APPLICATION (PTO-152) which gives reasonable.	
CORRECTED DRAWINGS (as "replacement sheets") must be su (a) including changes required by the Notice of Draftsperson's Pa 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amen Paper No./Mail Date (a) including changes required by the attached Examiner's Amen Paper No./Mail Date (b) including changes required by the attached Examiner's Amen Paper No./Mail Date (c) including changes required by the attached Examiner's Amen Battached including the application number (see 37 CFR 1.84(c)) seath sheet. Replacement sheet(s) should be labeled as such in the head (c) DEPOSIT OF and/or INFORMATION about the deposit of E attached Examiner's comment regarding REQUIREMENT FOR TI	Itent Drawing Review (PTO-948) attached dment / Comment or in the Office action of hould be written on the drawings in the front (not the back) of er according to 37 CFR 1.121(d). IOLOGICAL MATERIAL must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Notice of Informal Patent Application Interview Summary (PTO-413),

- 3. Information Disclosure Statements (PTO/SB/08),
- Paper No./Mail Date_
- 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- Paper No./Mail Date
- 7. Examiner's Amendment/Comment
- 8. X Examiner's Statement of Reasons for Allowance
- 9. Other _____.

Notice of Allowability

Art Unit: 1792

DETAILED ACTION

Due to a typo concerning claim 24 on the PTOL-85 form and the allowable subject matter, this supplemental notice of allowability is issued. The typos have been corrected per the applicant's request. Please see the notice of allowance of 30 September 2009 for other attachments (Interview summary, PTO-892) that are not included here.

FXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Justin Brask on 24 September 2009.

The application has been amended as follows:

Please cancel claims 38, 39, 41 and 42.

Application/Control Number: 10/772,893

Art Unit: 1792

Allowable Subject Matter

Claims 1, 3-4, 6-8, 10-12, 14-15, 17-18, 20-22, 24, 26-27, and 29-32 are allowed. Upon further review of the prior art, it was found that Bernashel et al. (as previously cited in other office actions) did have only one nitrogen concentration peak. but it was near the interface closest to the substrate and not near the film's surface, as claimed. Upon further searching, It was found that other prior art (for example, Hao et al. US 5939763) did teach a nitrogen concentration peak at the surface of the film using RTP, but failed to teach only one nitrogen concentration peak in the film as claimed. Hao et al., and other similar prior art, teaches two peaks – one at the surface of the film and one at the interface of the film with the substrate or any other underlying films. Though there is motivation present to add a nitrogen concentration peak at the surface as taught by Hao et al. to the film of Bernashel et al., there is no motivation present to combine the one peak process of Bernashel et al. with the two peak process of Hao et al. One of ordinary skill in the art would not be motivated to simply replace the peak near the substrate with the peak near the surface without adding another peak near the substrate. Therefore, alone or in combination, the prior art does not meet the limitations of the claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KELLY GAMBETTA whose telephone number is (571)272-2668. The examiner can normally be reached on Monday - Thursday 7:00-5:30.

Art Unit: 1792

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Kelly M Gambetta Examiner Art Unit 1792

kmg

/Timothy H Meeks/ Supervisory Patent Examiner, Art Unit 1792